

PAME I-2015 –Agenda Item 4.8(b)
AMSA Recommendation II(H)
Bibliography: Air Emissions in the Arctic (Submission by USA)

BACKGROUND

AMSA Recommendation II(H) provides:

That the Arctic states decide to support the development of improved practices and innovative technologies for ships in port and at sea to help reduce current and future emissions of greenhouse gases (GHGs), Nitrogen Oxides (NOx), Sulfur Oxides (SOx) and Particulate Matter (PM, taking into account the relevant IMO regulations.

PAME II-2014 adopted a ROD inviting member governments to submit to the Secretariat information on studies and assessments, both existing and ongoing, on ship air emissions (in particular black carbon) in the Arctic, methodologies for measuring emissions, and the effect of such emissions on the Arctic marine environment. PAME invites its Secretariat to compile submissions received into a bibliography that among others is to be shared with AMAP.

RESPONSE

The USA response to this ROD follows.

ACIA. (2004). Impacts of a Warming Arctic: Arctic Climate Impact Assessment, Cambridge University Press

Aliabadi, A. A., Staebler, R. M., Sharma S. (2014). Air Quality Monitoring in Communities of the Canadian Arctic during the High Shipping Season with a Focus on Local and Marine Pollution. *Atmos. Chem. Phys. Discuss.*, 14, 29547-29613. doi: 10.5194/acpd-14-29547-2014. <http://www.atmos-chem-phys-discuss.net/14/29547/2014/acpd-14-29547-2014.pdf>.

Alvarado, M. J., Logan, J. A., Mao, J., Apel, E., Riemer, D., Blake, D., Le Sager, P. (2010). Nitrogen oxides and PAN in plumes from boreal fires during ARCTAS-B and their impact on ozone: an integrated analysis of aircraft and satellite observations. *Atmospheric Chemistry and Physics*, 10(20), 9739-9760. doi: 10.5194/acp-10-9739-2010

AMAP. (2011). Arctic Pollution 2011 (Mercury). Oslo, Norway: Arctic Monitoring and Assessment Programme (AMAP). <http://www.apmap.no/documents/doc/arctic-pollution-2011-mercury/89>

AMAP. (2013). AMAP Assessment 2013: Arctic Ocean Acidification. Oslo, Norway: Arctic Monitoring and Assessment Programme (AMAP).

<http://www.apmap.no/documents/doc/AMAP-Assessment-2013-Arctic-Ocean-Acidification/881>

AMAP. (2007). Assessment 2007: Oil and Gas Activities in the Arctic – Effects and Potential Effects, Vol. 2. Oslo, Norway: Arctic Monitoring and Assessment Programme (AMAP), chapter 4. <http://www.apmap.no/documents/doc/assessment-2007-oil-and-gas-activities-in-the-arctic-effects-and-potential-effects.-volume-2/100>

AMSA. (2009). Arctic Marine Shipping Assessment 2009 Report: Arctic Council. http://www.arctic.gov/publications/AMSA_2009_Report_2nd_print.pdf

Andrew, R. (2014). Socio-Economic Drivers of Change in the Arctic. AMAP Technical Report No. 9. <http://www.apmap.no/documents/doc/Socio-Economic-Drivers-of-Change-in-the-Arctic/1115>

Bellona Report. (2010). Norilsk Nickel: The Soviet Legacy of Industrial Pollution. <http://bellona.no/assets/The-Soviet-Legacy-of-Industrial-Pollution.pdf>

Butt, C. M., Berger, U., Bossi, R., & Tomy, G. T. (2010). Levels and trends of poly- and perfluorinated compounds in the arctic environment. *Sci Total Environ*, 408(15), 2936-2965. doi: 10.1016/j.scitotenv.2010.03.015

Chaulk, A., Stern, G. A., Armstrong, D., Barber, D. G., & Wang, F. (2011). Mercury distribution and transport across the ocean-sea-ice-atmosphere interface in the Arctic Ocean. *Environ Sci Technol*, 45(5), 1866-1872. doi: 10.1021/es103434c

Clow, G.D., DeGange A.R., Derksen, D.V., and Zimmerman C.E. (2011). Chapter 4. Climate Change Considerations, in Holland-Bartels, Leslie, and Pierce, Brenda, eds., 2011, An evaluation of the science needs to inform decisions on Outer Continental Shelf energy development in the Chukchi and Beaufort Seas, Alaska: U.S. Geological Survey Circular 1370, p. 81-108.

Corbett, J. J., Lack, D. A., Winebrake, J. J., Harder, S., Silberman, J. A., & Gold, M. (2010). Arctic shipping emissions inventories and future scenarios. *Atmospheric Chemistry and Physics*, 10(19), 9689-9704. doi: 10.5194/acp-10-9689-2010

Committee on Emerging Research Questions in the Arctic; Polar Research Board; Division on Earth and Life Studies; National Research Council (2014). The Arctic in the Anthropocene: Emerging Research Questions: National Academies Press. http://www.nap.edu/catalog.php?record_id=18726

de Wit, C. A., Herzke, D., & Vorkamp, K. (2010). Brominated flame retardants in the Arctic environment--trends and new candidates. *Sci Total Environ*, 408(15), 2885-2918. doi: 10.1016/j.scitotenv.2009.08.037

Eckhardt, S., Hermansen, O., Grythe, H., Fiebig, M., Stebel, K., Cassiani, M., . . . Stohl, A. (2013). The influence of cruise ship emissions on air pollution in Svalbard – a harbinger of a more polluted Arctic? *Atmospheric Chemistry and Physics*, 13(16), 8401-8409. doi: 10.5194/acp-13-8401-2013

- Edwards, P. M., Brown, S. S., Roberts, J. M., Ahmadov, R., Banta, R. M., deGouw, J. A., . . . Zamora, R. (2014). High winter ozone pollution from carbonyl photolysis in an oil and gas basin. *Nature*, 514(7522), 351-354. doi: 10.1038/nature13767
- Environment Canada, Fisheries and Oceans Canada, Indian and Northern Affairs Canada. (2008). Land-Based Pollution in the Arctic Ocean: Canadian Actions in a Regional and Global Context, *Arctic*, 61(5). doi: <http://dx.doi.org/10.14430/arctic106>
- Fisher, J. A., Jacob, D. J., Wang, Q., Bahreini, R., Carouge, C. C., Cubison, M. J., . . . Yantosca, R. M. (2011). Sources, distribution, and acidity of sulfate–ammonium aerosol in the Arctic in winter–spring. *Atmospheric Environment*, 45(39), 7301-7318. doi: <http://dx.doi.org/10.1016/j.atmosenv.2011.08.030>
- Flanner, M. G., Zender, C. S., Randerson, J. T., & Rasch, P. J. (2007). Present-day climate forcing and response from black carbon in snow. *Journal of Geophysical Research*, 112(D11). doi: 10.1029/2006jd008003
- Friedman, C. L., & Selin, N. E. (2012). Long-Range Atmospheric Transport of Polycyclic Aromatic Hydrocarbons: A Global 3-D Model Analysis Including Evaluation of Arctic Sources. *Environmental Science & Technology*, 46(17), 9501-9510. doi: 10.1021/es301904d
- Friedman, C. L., Zhang, Y., & Selin, N. E. (2013). Climate Change and Emissions Impacts on Atmospheric PAH Transport to the Arctic. *Environmental Science & Technology*, 48(1), 429-437. doi: 10.1021/es403098w
- Hassol, S. J. (2004). *Impacts of a Warming Climate: Arctic Climate Impact Assessment*. Cambridge, UK: Cambridge University Press.
<http://www.acia.uaf.edu/pages/overview.html>
- IMO. (2010). Emissions inventory and analysis of impacts of short-lived climate forcing aerosols from international shipping activity in the Arctic, BLG 15/INF.5.
<http://docs.imo.org/Shared/Download.aspx?did=64259>
- IMO, Sub-Committee On Bulk Liquids and Gases. (2012). Impact on the Arctic of Emissions of Black Carbon from International Shipping.
<http://docs.imo.org/Shared/Download.aspx?did=69878>
- IMO. (1997). Technical Code on Control of Emission of Nitrogen Oxides from Marine Diesel Engines (NOx Technical Code), IMO. 13.
<http://www.imo.org/ourwork/environment/pollutionprevention/airpollution/pages/nitrogen-oxides-%28nox%29-%E2%80%93-regulation-13.aspx>
- Kondo, Y., Matsui, H., Moteki, N., Sahu, L., Takegawa, N., Kajino, M., . . . Brune, W. H. (2011). Emissions of black carbon, organic, and inorganic aerosols from biomass burning in North America and Asia in 2008. *Journal of Geophysical Research: Atmospheres*, 116(D8), D08204. doi: 10.1029/2010JD015152

- Kos, G., Kanthasami, V., Adechina, N., & Ariya, P. A. (2014). Volatile organic compounds in Arctic snow: concentrations and implications for atmospheric processes. *Environ Sci Process Impacts*, 16(11), 2592-2603. doi: 10.1039/c4em00410h
- Krogseth, I. S., Kierkegaard, A., McLachlan, M. S., Breivik, K., Hansen, K. M., & Schlabach, M. (2013). Occurrence and seasonality of cyclic volatile methyl siloxanes in Arctic air. *Environ Sci Technol*, 47(1), 502-509. doi: 10.1021/es3040208
- Lack, D. A., Thuese, J., & Elliot, R. (2012). Investigation of appropriate control measures (abatement technologies) to reduce Black Carbon emissions from international shipping - Study Report. Denmark: Litehauz.
- Laulajainen, R. (2009). The Arctic Sea Route. *Int. J. Shipping and Transport Logistics* 1. doi: 10.1504/IJSTL.2009.021976.
- Law, K. S., & Stohl, A. (2007). Arctic air pollution: origins and impacts. *Science*, 315(5818), 1537-1540. doi: 10.1126/science.1137695
- Law, K. S., Stohl, A., Quinn, P. K., Brock, C., Burkhardt, J., Paris, J.-D., . . . Thomas, J. L. (2014). Arctic Air Pollution: New Insights From POLARCAT-IPY. *Bulletin of the American Meteorological Society*. doi: 10.1175/BAMS-D-13-00017.1
- Law, R. J., Covaci, A., Harrad, S., Herzke, D., Abdallah, M. A., Fernie, K., . . . Takigami, H. (2014). Levels and trends of PBDEs and HBCDs in the global environment: status at the end of 2012. *Environ Int*, 65, 147-158. doi: 10.1016/j.envint.2014.01.006
- Letcher, R. J., Bustnes, J. O., Dietz, R., Jenssen, B. M., Jorgensen, E. H., Sonne, C., . . . Gabrielsen, G. W. (2010). Exposure and effects assessment of persistent organohalogen contaminants in arctic wildlife and fish. *Sci Total Environ*, 408(15), 2995-3043. doi: 10.1016/j.scitotenv.2009.10.038
- Matsui, H., Kondo, Y., Moteki, N., Takegawa, N., Sahu, L. K., Zhao, Y., . . . Koike, M. (2011). Seasonal variation of the transport of black carbon aerosol from the Asian continent to the Arctic during the ARCTAS aircraft campaign. *Journal of Geophysical Research*, 116(D5). doi: 10.1029/2010jd015067
- McConnell, J. R., Edwards, R., Kok, G. L., Flanner, M. G., Zender, C. S., Saltzman, E. S., . . . Kahl, J. D. (2007). 20th-century industrial black carbon emissions altered Arctic climate forcing. *Science*, 317(5843), 1381-1384. doi: 10.1126/science.1144856
- McFarquhar, G. M., Ghan, S., Verlinde, J., Korolev, A., Strapp, J. W., Schmid, B., . . . Glen, A. (2011). Indirect and Semi-direct Aerosol Campaign. *Bulletin of the American Meteorological Society*, 92(2), 183-201. doi: 10.1175/2010bams2935.1
- Moore, C. W., Obrist, D., Steffen, A., Staebler, R. M., Douglas, T. A., Richter, A., & Nghiem, S. V. (2014). Convective forcing of mercury and ozone in the Arctic boundary layer induced by leads in sea ice. *Nature*, 506 (7486), 81-84. doi: 10.1038/nature12924

NSIDC. (2007). Arctic Sea Ice Shatters All Previous Record Lows. Diminished summer sea ice leads to opening of the fabled Northwest Passage,
http://nsidc.org/news/press/2007_seaiceminimum/20071001_pressrelease.html and
<http://nsidc.org/arcticseaicenews/>

Peters, G. P., Nilssen, T. B., Lindholt, L., Eide, M. S., Glomsrød, S., Eide, L. I., & Fuglestvedt, J. S. (2011). Future emissions from shipping and petroleum activities in the Arctic. *Atmospheric Chemistry and Physics*, 11(11), 5305-5320. doi: 10.5194/acp-11-5305-2011

Also, Norway. (2011). The Impact of Black Carbon on Arctic Climate. AMAP Technical Report No. 4.
<http://amap.no/documents/index.cfm?action=getfile&dirsub=&filename=89439%5FImpact%20of%20black%20carbon%5FLO%5FFINAL.pdf&sort=default>

Østreng, W., Eger, K. M., Fløistad, B., Jørgensen-Dahl, A., Lothe, L., Mejlaender-Larsen, M., & Wergeland, T. (2013). *Shipping in Arctic waters: a comparison of the Northeast, Northwest and trans polar passages*. Springer Science & Business.

Quinn, P. K., & al., e. (2008). Short-lived pollutants in the Arctic: their climate impact and possible mitigation strategies. *Atmospheric Chemistry and Physics*, 8, 1723–1735. doi: www.atmos-chem-phys.net/8/1723/2008/

Quinn, P. K., Shaw, G., Andrews, E., Dutton, E. G., Ruoho-Airola, T., & Gong, S. L. (2007). Arctic haze: current trends and knowledge gaps. *Tellus B*, 59(1), 99-114. doi: 10.1111/j.1600-0889.2006.00238.x

Quinn, P. K., Stohl, A., , A. A., T. Berntsen, J. F. Burkhardt, J. Christensen, . . . Vestreng, V. (2011). The Impact of Black Carbon on Arctic Climate (2011). Oslo, Norway: Arctic Monitoring and Assessment Programme (AMAP).
<http://www.amap.no/documents/doc/the-impact-of-black-carbon-on-arctic-climate/746>

Roiger, A., Schlager, H., Schäfler, A., Huntrieser, H., Scheibe, M., Aufmhoff, H., . . . Arnold, F. (2011). In-situ observation of Asian pollution transported into the Arctic lowermost stratosphere. *Atmospheric Chemistry and Physics*, 11(21), 10975-10994. doi: 10.5194/acp-11-10975-2011

S. Wilson, H. H., A. Katsoyiannis, D. Kong, J. van Oostdam, F. Riget, A. Bignert. (2014). Trends in Stockholm Convention Persistent Organic Pollutants (POPs) in Arctic Air, Human media and Biota: AMAP. <http://www.amap.no/documents/download/1972>

Serreze, M. C., Holland, M. M., & Stroeve, J. (2007). Perspectives on the Arctic's shrinking sea-ice cover. *Science*, 315(5818), 1533-1536. doi: 10.1126/science.1139426

Shindell, D., & Faluvegi, G. (2009). Climate response to regional radiative forcing during the twentieth century. *Nature Geosci*, 2(4), 294-300. doi: http://www.nature.com/ngeo/journal/v2/n4/supplinfo/ngeo473_S1.html

Shoeib, M., Harner, T., & Vlahos, P. (2006). Perfluorinated chemicals in the arctic

- atmosphere. *Environ Sci Technol*, 40(24), 7577-7583.
- Stern, G. A., Macdonald, R. W., Outridge, P. M., Wilson, S., Chetelat, J., Cole, A., . . . Zdanowicz, C. (2012). How does climate change influence Arctic mercury?, *Sci Total Environ*, 414, 22-42. doi: 10.1016/j.scitotenv.2011.10.039
- Stohl, A., Andrews, E., Burkhardt, J. F., Forster, C., Herber, A., Hoch, S. W., . . . Yttri, K. E. (2006). Pan-Arctic enhancements of light absorbing aerosol concentrations due to North American boreal forest fires during summer 2004. *Journal of Geophysical Research*, 111(D22). doi: 10.1029/2006jd007216
- Stohl, A., Klimont, Z., Eckhardt, S., Kupiainen, K., Shevchenko, V. P., Kopeikin, V. M., & Novigatsky, A. N. (2013). Black carbon in the Arctic: the underestimated role of gas flaring and residential combustion emissions. *Atmospheric Chemistry and Physics*, 13(17), 8833-8855. doi: 10.5194/acp-13-8833-2013
- Saiko, T. (2001). Environmental crises: geographical case studies in post-Socialist Eurasia. *Pearson Education*.
- Thomas, J. L., Raut, J. C., Law, K. S., Marelle, L., Ancellet, G., Ravetta, F., . . . Schlager, H. (2013). Pollution transport from North America to Greenland during summer 2008. *Atmospheric Chemistry and Physics*, 13(7), 3825-3848. doi: 10.5194/acp-13-3825-2013
- Tilmes, S., Jahn, A., Kay, J. E., Holland, M., & Lamarque, J.-F. (2014). Can regional climate engineering save the summer Arctic sea ice? *Geophysical Research Letters*, 41(3), 880-885. doi: 10.1002/2013gl058731
- Vay, S. A., Choi, Y., Vadrevu, K. P., Blake, D. R., Tyler, S. C., Wisthaler, A., . . . Wennberg, P. O. (2011). Patterns of CO₂ and radiocarbon across high northern latitudes during International Polar Year 2008. *Journal of Geophysical Research*, 116(D14). doi: 10.1029/2011jd015643
- Walker, T. W., Jones, D. B. A., Parrington, M., Henze, D. K., Murray, L. T., Bottenheim, J. W., Carouge, C. C. (2012). Impacts of midlatitude precursor emissions and local photochemistry on ozone abundances in the Arctic. *Journal of Geophysical Research*, 117(D1). doi: 10.1029/2011jd016370
- Wang, Q., Jacob, D. J., Fisher, J. A., Mao, J., Leibensperger, E. M., Carouge, C. C., . . . Doherty, S. J. (2011). Sources of carbonaceous aerosols and deposited black carbon in the Arctic in winter-spring: implications for radiative forcing. *Atmospheric Chemistry and Physics*, 11(23), 12453-12473. doi: 10.5194/acp-11-12453-2011
- Wania, F. (2007). A global mass balance analysis of the source of perfluorocarboxylic acids in the Arctic Ocean. *Environ Sci Technol*, 41(13), 4529-4535.
<http://www.ncbi.nlm.nih.gov/pubmed/17695892>
- Warneke, C., Bahreini, R., Brioude, J., Brock, C. A., de Gouw, J. A., Fahey, D. W., . . . Veres, P. (2009). Biomass burning in Siberia and Kazakhstan as an important source for haze

over the Alaskan Arctic in April 2008. *Geophysical Research Letters*, 36(2). doi: 10.1029/2008gl036194

Warneke, C., Froyd, K. D., Brioude, J., Bahreini, R., Brock, C. A., Cozic, J., . . . Stohl, A. (2010). An important contribution to springtime Arctic aerosol from biomass burning in Russia. *Geophysical Research Letters*, 37(1). doi: 10.1029/2009gl041816

Wespes, C., Emmons, L., Edwards, D. P., Hannigan, J., Hurtmans, D., Saunois, M., . . . Wennberg, P. O. (2012). Analysis of ozone and nitric acid in spring and summer Arctic pollution using aircraft, ground-based, satellite observations and MOZART-4 model: source attribution and partitioning. *Atmospheric Chemistry and Physics*, 12(1), 237-259. doi: 10.5194/acp-12-237-2012